

Defn: A procedure for termination of an unintended pregnancy done either by persons without the necessary skills, or in an environment that does not conform to minimum medical standards


- · ~250,000 women annually
- Maternal mortality
 282/100000 10% officially
 due to usnsafe abortions
 (30% unofficially)

Bamboos, bicycle spokes, umbrella shafts, feathers, twigs

How is abortion protrayed in the media, popular culture, prevaling religion, or common day-to-day discourse?

Theravada Buddhism

Patriarchy





- Taboo to discuss sex or contraception
- No word for "vagina" in Burmese
- Can't say "No" to husbands
- Minimal education about own sexuality and reproductive cycles



Myanmar Penal Code #312

312. Whoever voluntarily causes a woman with child to miscarry shall, if such miscarriage be not caused in good faith for the purpose of saving the life of the woman, be punished with imprisonment of either description for a term which may extend to three years, or with fine, or with both; and, if the woman be quick with child, shall be punished with imprisonment of either description forr a term which may extend to seven years, and shall also be liable to fine.


This includes: A woman causing herself to have an abortion

Penal Code #314

Whoever, with intent to cause the miscarriage of a woman with child, does any act which causes the death of such woman shall be punished with imprisonment of either description for a term which may extend to ten years, and shall also be liable to fine;


and if the act is done without the consent of the woman, shall be punished either with transportation for life, or with the punishment above mentioned.

Offender does not need to know that their act was the cause of death.





- Providers reluctant to treat
- Lack of training and support
- Discrimination against the patient
- Disparity in quality of services
 - 61% are "unsafe"
 - \$20 \$300



Institutional Factors

A 27 yo with an uncertain number of pregnancies [3 living children ages 2, 4 and 5] was brought to the main women's hospital in Yangon from a village approximately 50 miles north of the city by relatives. She was unresponsive with a temperature of 39 C.

Physical exam was significant for generalized muscle fasciculations, hyperactive reflexes and gross blood tinged pus in

fasciculations, hyperactive reflexes and gross blood tinged pus in her vagina. Uterus was approximately 10 weeks size and boggy.

Breathing was shallow and labored. Pupils were reactive to light.

She was taken to the medical intensive care unit and intubated,

Community Factors

How did this happen?
What would you do? In Myanmar, in the US?
Where in her history could interventions have been made?
How could this have been prevented?

and IV fluids were begun.

(Thoughts?)

Legal Factors

Cultural Factors

Means to an End